



Gallstones



Osteoarthritis



Fainting



Headaches

● PRACTICE DOCTORS

Dr Mark Rikard-Bell - GP
 MBBS, DipCOG(SA), FRACGP, FACRRM,
 Dip Skin Cancer College
 Diving Medicals & Skin Clinics

Dr Peter Brown - GP
 MBBS, DRACO, DRACOG

Dr Siv Rajeev
 MBBS, FACRRM

Dr Raj Swamy
 MBBS, FRACGP

Dr Philip Watson - GP
 BSCMed, MBBS, DRANZCOG, FRACGP, FARGP
 Anaesthetics & Minor Procedures

Dr Sanjay Verma - GP (Surgeon)
 MBBS, FRACGP, FARGP (Surgery)
 Endoscopies, Hernia Repair, Carpal Tunnel,
 Vasectomy & Appendectomy

Dr Clifton Washaya - Surgeon
 MBChB, FCS(Coseca) FCS(SA), FRACS

Dr Nitin Trasi
 MBBS, DGO, MD (O&G), AMC Cert, Adv. DRANZCOG
 Women's Health, Antenatal & Postnatal Care, Sexual
 Health, Family Planning, Conception & Infertility

Dr Lojene Raveenthiran
 MBBS, AMC

Dr Raviraj Kugapiriyam Registrar

Dr Kavita Kasana - GP

Dr Daniel Garces - GP

Dr Farhana Huq - GP

Dr Callum Walker - GP

Dr Gifty Abraham - GP

Dr Emenike Muonanu - GP

● PRACTICE MANAGER
Kristen Seymour

● SURGERY HOURS
Monday-Friday (Appt) 8.30am–5.30pm
Saturday (No Appt) 9.00am–11.30am

● AFTER HOURS & EMERGENCY
 Phone **6543 1222** to speak with a Doctor -
 often attending at the Hospital
 (phone **6542 2000**).

In case of a medical emergency, dial **000**
 and ask for an ambulance.

● SPECIAL PRACTICE NOTES

Muswellbrook Skin Cancer Clinic. Perhaps it's time to come in for a skin cancer check. All of our doctors can do this for you. If specialist attention is needed to any spots that look suspicious, we have several doctors & surgeons who can take the appropriate action.

● OTHER SERVICES OFFERED

- Obstetrics & Ante-natal Care
- Spirometry
- Sports Medicine Hearing tests
- Casualty & Emergency
- Anaesthetics
- Pathology Laboratory
- Home Visits when necessary
- Medicals – Sporting, Pre-Employment, Superannuation & Diving
- Lady Drs available – Women's Health, Contraception & Menopause
- Free immunisation clinics: 11am – 12md Tues, Wed, Thurs or at any time by appointment with your GP.
- X-ray & CT Scanning
- Diabetics Care
- Ultrasound
- Surgery
- Cardiograph
- Skin Cancer Check
- Flu Clinic Seasonal

Diabetes Educator: Annabel Thurlow comes with 25 years' experience in diabetes and is a Diabetes Nurse Practitioner, Credentialed Diabetes Educator and Certified Insulin Pump Trainer. She sees those with Type 1 and Type 2 Diabetes, women with gestational diabetes and people at risk of diabetes (pre-diabetes). GP referral is required; appointments Tuesdays and Wednesdays.

Muswellbrook Diagnostic Imaging. Brook Medical Centre has state of the art imaging services at the rear of the building. Ultrasound and X-ray also available on referral from your doctor. Appointments may be made on 6543 3427.

Blood tests with pathology. Laverety Pathology is at the rear of the building if your doctor has ordered pathology tests for you.

● BILLING ARRANGEMENTS

The account is to be settled at the time of consultation. Payments can be made by cash, cheque, Credit Card or EFTPOS. **Item 23- \$90.** A Fee of **\$5** will occur if the account is not paid on the day.

If you cannot attend your appointment please advise reception as soon as possible, otherwise a fee for non attendance may be charged.

● HAVING YOUR OWN DOCTOR

When you phone for an appointment please ALWAYS ask for your regular doctor or backup doctor before accepting an appointment with another doctor.

It will be easier to get an appointment with your preferred doctor for regular checkups or prescriptions if you make your appointments well in advance.

YOUR NEXT APPOINTMENT:

ENJOY THIS FREE NEWSLETTER

Please remember that decisions about medical care should be made in consultation with your health care provider so discuss with your doctor before acting on any of the information.

www.healthnews.net.au

Follow us on Instagram
 @healthnewsnp



▷ Please see the Rear Cover for more practice information.



Gallstones

Gallstones are hard stones made of cholesterol, calcium and bile, which form in the gallbladder. This is the pouch under the liver, which stores bile. In turn, bile is released into the intestine after meals to help absorb fats.

Gallstones are found in up to 30% of people, most of who don't know they have them. It is only when they cause symptoms that treatment may be required. Risk factors include being female, being overweight, increasing age and family history. The stones can be as small as grains of sand or as big as golf balls.

Symptoms commonly occur if a stone blocks the bile duct (biliary colic) or the gallbladder gets infected (cholecystitis). Pain in the abdomen (or back), nausea and or vomiting and fever are typical symptoms. Pain is generally worse after a fatty meal. Some may develop yellow jaundice. If you have abdominal pain, see your doctor, as there are many potential causes.

Diagnosis may be obvious on history and examination. The standard test is an ultrasound, which will show if stones are present.

Sometimes stones pass through the duct, and the symptoms resolve. If there is an infection, antibiotics will be needed. In severe cases, urgent hospitalization is required. The simplest treatment is analgesics and reducing fat intake in the diet.

Surgery to remove the gallbladder (and stones) is standard treatment. This is now generally done via the keyhole (laparoscope), and you are home in a few days. Medication to dissolve stones is not very effective. Sound wave treatment to "shatter" stones is useful in only 20% of cases.



More info »



Osteoarthritis

As we age, our joints show wear and tear. The cartilage (lining) of the joints is affected most, but bones, ligaments and muscles can also be involved. This is known as degenerative or osteoarthritis. It affects almost everyone over 40. The severity varies. Knees, hips, hands and the spine are the most commonly affected joints. Risk factors include being overweight, positive family history and joint injuries.

Symptoms include pain and stiffness, and swelling in the joint. It develops gradually over many years. Pain may be worse with activity, although stiffness is usually worse in the morning. Symptoms may be intermittent at first and may become constant.

Diagnosis is generally on clinical findings. X-rays can help assess severity and see the extent of cartilage degeneration.

Treatment depends on severity. Weight loss (if overweight) reduces the load on the joint. Heat packs can help, as does strapping the joint. Regular exercise helps preserve function. This needs to be tailored to the individual, and a physiotherapist can assist. Water-based exercise puts less load on the joints.

Medications do not cure osteoarthritis, but analgesics (e.g. Paracetamol) can ease symptoms. Anti-inflammatory medications can be used but may have side effects and are not suitable for all. Talk to your GP about this. Braces, walking aids and shoe insoles can have a role too. In more severe cases, injections into the joint can ease symptoms and surgery, including joint replacement, can be beneficial when non-surgical treatments have failed.



More info »



[More info](#) »

Acne

Acne is a skin infection. Under hormonal (mainly testosterone) influence, sebaceous glands in the skin produce excess oil, which can block the pores allowing bacteria to multiply. It is most common in the teenage years but can also affect adults. Males are more prone, and there are genetic tendencies too.

The face, chest, back and neck are the most affected areas. Acne can be made worse by stress, oily cosmetics and some medications. For women, it may be worse with periods. Although an infection, it is not contagious. There are many myths about food causing acne – but no specific foods have been shown to make a difference. Eating sensibly and drinking plenty of water will help but not cure acne.

Basic treatments include keeping the skin clean and using good quality skin cleansers. The next step is more specific anti-acne creams or gels on the affected areas. Most are available without a prescription. If this

is not helping, your doctor can prescribe antibiotics. The length of the course depends on how long it takes to improve. For some females, a hormonal treatment doubles as a contraceptive.

In the most severe cases, you may be referred to a dermatologist. Severe cystic acne can be treated with more potent medications, which must be carefully monitored, as side effects can be problematic.

Fortunately, most acne resolves by the late teens or early twenties. Scarring can occur, although not frequently. This can be treated increasingly successfully.


Fainting

There are numerous reasons why people may feel dizzy or pass out. A true faint (vaso-vagal episode) is a brief episode of unconsciousness caused by a drop in blood pressure. In turn, this can be due to a change in the blood vessels or the heart rate. When we faint, the blood vessels typically widen, causing the pressure inside them to drop.

When blood pressure to the brain is not maintained, we lose consciousness and fall to the ground. Usually, the episode is rapid and may last a few seconds. You may feel unwell for a time afterwards. Some people will go through life never fainting, whereas others are a bit prone.

Risk factors for fainting include prolonged standing, extreme heat (leading to dehydration), stress or emotional distress, intense pain and certain medications. Typical lead-up symptoms are a feeling of anxiety, nausea, and a lightheaded feeling. At this point, it is best to sit or lie down, but realistically events often overtake you, and you find yourself on the floor. After a faint, you have full memory of events and no convulsing, so this is completely different from a seizure.

It is important to consult your GP if you have suffered a faint. Whilst the condition is harmless (excluding the potential for injury when falling), it is important to exclude other reasons for loss of consciousness. Your doctor will do a physical examination and may recommend blood tests.



[More info](#) »

Headaches

Headaches are one of the commonest symptoms experienced. Virtually everyone will get a headache at some stage. Some get them often, and others rarely. Whilst there are serious causes, the vast majority are not. The most typical form of headache is the “tension-type headache” felt as a band around the head. It can last from half an hour to an entire day. Stress can be a factor but not necessarily. Treatment is with simple analgesia. Ensure you drink adequate water.

Treatment depends on the cause. Eye strain can lead to headaches coming on with reading or watching screens. Treatment is getting your eyes checked and appropriate glasses if need be. Neck strain and neck arthritis can cause headaches. Heat treatments on the neck and physiotherapy may help. Sinuses infection or congestion can cause headaches which can be seasonal.


Migraines are a particular type of headache, more common in females and usually one-sided, which can be associated with nausea

or vomiting and sometimes an aura.

Headaches can be part of a viral illness or various other medical conditions.

Accurate assessment by your GP is important. This is through history examination and, in some instances investigations. Treatment is directed towards the underlying cause.

General preventative measures for headaches include getting enough sleep, drinking enough water, managing stress and avoiding any known specific triggers. Simple analgesics have a role but should not be relied upon.



● **SPECIAL PRACTICE NOTES**

Repeat prescriptions. The issue of repeat prescriptions generally requires a visit to the doctor. In rare circumstances, the doctor may write one without a consultation. (A \$15.00 script fee is payable when picking up your script at the surgery). It is helpful if we have at least 24 hours notice to deal with any request.

Referrals. Doctors in this practice are competent at handling common health problems. When necessary, they can use opinions from Specialists. You can discuss this openly with your doctor, including potential out of pocket expenses.

Patient Feedback. We welcome your comments or suggestions. Please feel free to talk to your GP or the Practice Manager regarding any issues. If you prefer, you can contact the Health Care Complaints Commission on: 1800 043 159.

Despite our best intentions, we sometimes run late! This is because someone has needed unexpected urgent attention. Thank you for your consideration.

Communication. A doctor is available during normal surgery hours for emergency advice. Our staff are experienced in deciding the appropriate response to any phone request.

Patient Privacy. This practice protects your personal health information to ensure it is only available to authorised staff members for the intended purposes and to comply with the Privacy Act. To obtain a copy of our Privacy Statement or your medical records, please ask.

Reminder system. Because our practice is committed to preventive care, we may send you an occasional reminder regarding health services appropriate to your care. If you wish to opt out of this, please let us know.

Test Results. Results are reviewed by the doctors and acted on in a timely manner, with your health in mind. We will contact you if necessary.

Bring your Medicare Card. For all services it is important to bring your Medicare card with you when attending the doctor.

Interpreter Service Available. Please enquire at Reception



QUICK AND EASY FRENCH ONION CHICKEN POTATO BAKE

Ingredients (serves 6)

- 30g Butter
- 1 cup thinly sliced button mushrooms
- 3 spring onions finely chopped
- 120grams baby spinach
- 2 x 200 gram tubs of French Onion Dip
- ½ Cup pouring cream
- 500 grams cooked chicken – shredded
- Potatoes – enough to cover the base of your cooking dish
- 2 cups of your favourite grated cheese blend

Method

1. Melt butter in frying pan and add mushrooms and ¾ of the spring onions. Cook until softened stirring occasionally.
2. Add spinach and stir until wilted
3. Add French Onion dip and Cream and stir in well, then add the chicken.
4. Bring to the boil and season to taste.
5. Add the sliced, par boiled potatoes to the bottom of a baking dish and top with the chicken mixture. Sprinkle with the cheese blend.
6. Grill in a preheated oven for 2-3 minutes until the cheese is melted and garnish with the remaining spring onion.

4	8			6	1			2
		2	3					1
1	9				7	6	4	5
	1	6		2		5		9
3		7	1		8	4		6
9		4		7		3	1	
2	3	1	8				5	7
7					2	1		
5			7	1			6	3

SUDUKO